Volume 287 1994

Contents

Letters to the Editor

The height variation of sunspot umbral dots
Wiehr E. L1

The radial distribution of HC_3N molecules in IRC+10216
Audinos P., Kahane C., Lucas R. L5

Large-scale chaos in the solar system
Laskar J. L9

Observational support for the Gurzadyan-Kocharyan relation in clusters of galaxies
Monaco P. L13

Further decomposition of a "very massive" star
Heydari-Malayeri M., Beuzit J.-L. L17

The disc scale length of the Galaxy
Fux R., Martinet L. L21

The spatial distribution of excited H_2 in T Tauri: a molecular outflow in a young binary system
van Langevelde H.J., van Dishoeck E.F., van der Werf P.P., Blake G.A. L25

An OH maser towards the globular cluster NGC 6171
Feast M.W., Whitelock P.A. L29

Spectroscopic observations of the Mt. Stromlo MACHO candidate
Della Valle M. L31

On the possible source of GRB 930131
Rao A.R., Vahia M.N. L34

Electromagnetic expulsion force in cosmic plasma
Litvinenko Y.E., Somov B.V. L37

Cosmology

Arc statistics with realistic cluster potentials. I. Method and first results
Bartelmann M., Weiss A. 1

The power spectrum implied by COBE and the matter correlation function
Torres S., Fabbri R., Ruffini R. 15

Some remarks on multiple deflection gravitational lensing
Seitz S., Schneider P. 349

The Poisson distribution on a fractal
Dubrulle B., Lachièze-Rey M. 361

Numerical analysis of the cosmic microwave background anisotropies within framework of linearized gravitational instability model
Stompor R. 693

(RN) On the detection of cosmic high-energy neutrinos
Volkova L.V. 713

Extragalactic astronomy

H_2O activity in M 82 and in other members of the M 81 group
Baudry A., Brouillet N., Henkel C. 20

Are there two engines at the center of 3C 286?
Zhang F.J., Spencer R.E., Schilizzi R.T., Fanti C., Bååth L.B., Su B.M. 32

(RN) Large amounts of cold molecular hydrogen in the Small Magellanic Cloud
Lequeux J. 368

On the Cepheid variables of nearby galaxies. II. Sextans A and Sextans B
Piotto G., Capaccioli M., Pellegrini C. 371

(RN) The chemical evolution of irregular galaxies with mass loss
Pilyugin L.S. 387

One-year modulation in the flux density time series of low frequency variables
Bondi M., Padrielli L., Gregorini L., Mantovani F., Shapirovskaya N., Spangler S.R. 390

The nova rate in galaxies of different Hubble types
Della Valle M., Rosino L., Bianchini A., Livio M. 403

Helical magnetic field structure in M 31?
Urbanik M., Otmianowska-Mazur K., Beck R. 410

Gas response at the resonances in the grand design spiral NGC 4321
García-Burillo S., Sempere M.J., Combes F. 419

(RN) Beamed X-rays in radio-loud quasars
Bühler P., Courvoisier T.J.-L., Staubert R. 433

X-ray spectra of a complete sample of extragalactic core-dominated radio sources
Brunner H., Lamer G., Worrall D.M., Staubert R. 436

On the predictive power of the minimum energy condition. II. Fractional calorimeter behaviour in the diffuse high energy gamma emission of spiral galaxies
Pohl M. 453

The globular cluster system of NGC 4636: a rich system in an otherwise normal elliptical galaxy?
Kissler M., Richtler T., Held E.V., Grebel E.K., Wagner S.J., Capaccioli M. 463

(RN) Further support for the presence of water in IRAS 10214+4724
Casoli F., Gerin M., Encrenaz P.J., Combes F. 716

Absorption in three intrinsically faint quasars: Q 0009–016, Q 0347–241, and Q 2116–358
Møller P., Jakobsen P., Perryman M.A.C. 719

Matter distribution in twelve X-ray clusters of galaxies
Durret F., Gerbal D., Lachièze-Rey M., Lima-Neto G., Sadat R. 733

Galactic structure and dynamics

Kinematics of hot subdwarfs
Colin J., de Boer K.S., Dauphole B., Ducourant C., Dulou M.R., Geffert M., Le Campion J.-F., Moehler S., Odenkirchen M., Schmidt J.H.K., Theissen A. 38

The generation of Stäckel potentials for galactic dynamical modeling
Batsleer P., Dejonghe H. 43

Stochastic self-propagating star formation with anisotropic probability distribution
Jungwiert B., Palouš J. 55

The evolution of Local Interstellar Medium
Kosarev I.B., Loseva T.V., Nemtchinov I.V., Popel S.I. 470

A deep VLA search for OH (1612 MHz) maser sources in the galactic plane
Blommaert J.A.D.L., Van Langevelde H.J., Michiels W.F.P. 479

A semi-numerical method for resonances in galactic-type Hamiltonians
Caranicolas N.D. 752

(RN) Quadratic integrals in uniformly rotating Hamiltonian systems
Stewart P. 757

Stellar clusters and associations

Maximum likelihood estimation of the mean parallax and the kinematic parameters of moving clusters
Zhao J.L., Chen L. 68

The Galactic system of old open clusters: age calibration and age-metallicity relation
Carraro G., Chiosi C. 761

HST observations of the core of globular cluster NGC 6397
Burgarella D., Paresce F., Meylan G., King I.R., Greenfield P., Baxter D., Jedrzejewski R., Nota A., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Deharveng J.M., Disney M.J., Jakobsen P., Kamperman T.M., Macchetto F., Mackay C.D., Weigelt G. 769

Formation, structure and evolution of stars

Quasi-periodic oscillations in the shot noise model of X-ray sources
Vikhlinin A., Churazov E., Gilfanov M. 73

Magnetically driven wind from an accretion disk with low-inclination field lines
Xinwu Cao, Spruit H.C. 80

The ultraviolet spectra of the symbiotic stars MWC 960, FN Sgr, SS 29 and Draco C-1
Munari U., Buson L.M. 87

Simultaneous intensive photometry and high resolution spectroscopy of δ Scuti stars. I. Mode typing of HD 106384≡FG Virginis
Mantegazza L., Poretti E., Bossi M. 95

HEXE observations of black hole X-ray transients
Döbereiner S., Maisack M., Englhauser J., Pietsch W., Reppin C., Trümper J., Kendziorra E., Kretschmar P., Kunz M., Staubert R., Efremov V., Kaniovsky A., Kusnetzov A., Sunyaev R. 105

Turbulent diffusive mixing in early B-type main sequence stars
Denissenkov P.A. 113

Polar accretion and light variability on T Tauri stars
Gullbring E. 131

New binary young stars in the Taurus and Ophiuchus star-forming regions
Richichi A., Leinert C., Jameson R., Zinnecker H. 145

Erratum Do molecular clouds contain accreting black holes?
Campana S., Pardi M.C. 348

Ambiguities of parametrized dust disk models for young stellar objects
Thamm E., Steinacker J., Henning T. 493

(RN) A study of a high resolution IUE spectrum of AM Canum Venaticorum
Solheim J.-E., Sion E.M. 503

Photometric and spectroscopic observations of the 53 Persei type stars: ζ Cassiopeiae
Sadsaoud H., Le Contel J.M., Chapellier E., Le Contel D., Gonzalez-Bedolla S. 509

On a possible origin of the initial mass function of stars
Richtler T. 517

T Tauri stars as differential rotators
Smith M.D. 523

An Eulerian approach for the computation of oscillation mode visibility
Gouttebroze P., Toutain T. 535

The long-period symbiotic binary CH Cygni. III. Emission line profiles from the rotating accretion disk
Leedjärv L., Mikolajewski M., Tomov T. 543

The OH/IR-planetary nebula connection: space distribution and kinematics
Ortiz R., Maciel W.J. 552

Instability in a braking disk: Herculis X-1 in the inactive state
Meyer F., Meyer-Hofmeister E. 559

VLA data constraints on the Galactic-Centre annihilation line source 1E 1740.7–2942
Zheleznyakov V.V., Belyanin A.A. 782

Detection of "moving bumps" for the Be star η Centauri
Leister N.V., Janot-Pacheco E., Hubert A.M., Floquet M., Hubert H., Briot D. 789

e^+–e^- annihilation lines from accretion discs around Kerr black holes
Hameury J.-M., Marck J.-A., Pelat D. 795

New models of Wolf-Rayet stars and comparison with data in galaxies
Maeder A., Meynet G. 803

Luminosity variations and orbital period changes in RT Lacertae
Keskin V., Ibanoğlu C., Akan M.C., Evren S., Tunca Z. 817

Localizations and spectra of gamma-ray bursts observed within the sidelobes of the SIGMA telescope
Claret A., Lebrun F., Paul J., Cordier B., Pelaez F., Jourdain E., Niel M., Roques J.-P., Terekov O., Lobachev V., Denisenko D., Sunyaev R., Churazov E., Gilfanov M., Dyachkov A., Khavenson N. 824

The variable light curve of the eclipsing symbiotic star AR Pavonis
Bruch A., Niehues M., Jones A.F. 829

Improved bolometric corrections for WR stars from cluster membership and evolutionary models
Smith L.F., Meynet G., Mermilliod J.-C. 835

Spatially resolved X-ray and radio observations of Castor A+B+C
Schmitt J.H.M.M., Güdel M., Predehl P. 843

Stellar atmospheres

New HST observations of the core of R Aquarii. I. Imaging
Paresce F., Hack W. 154

The 3 μm spectra of candidate carbon stars
Groenewegen M.A.T., de Jong T., Geballe T.R. 163

G 191-B2B: accurate abundances for nitrogen, silicon, and iron from GHRS observations
Vidal-Madjar A., Allard N.F., Koester D., Lemoine M., Ferlet R., Bertin P., Lallement R., Vauclair G. 175

Spherically symmetric model atmospheres using approximate lambda operators. I. First results for static NLTE atmospheres
Kubát J. 179

Lithium abundances of nearby solar-like stars
Pasquini L., Liu Q., Pallavicini R. 191

Profile variations of the Hα emission line in the Herbig B3e star HD 200775
Beskrovnaya N.G., Pogodin M.A., Shcherbakov A.G., Tarasov A.E. 564

A Herbig-Haro flow in HV Tauri
Magazzù A., Martín E.L. 571

A strong Hα flare on HK Lacertae
Catalano S., Frasca A. 575

Multiwavelength observations of RV Tauri stars. II. U Monocerotis
Shenton M., Evans A., Cardelli J.A., Marang F., van Wyk F., Weight A. 852

Multiwavelength observations of RV Tauri stars. III. R Scuti
Shenton M., Monier R., Evans A., Carter B., Lloyd Evans T., Marang F., Parker Q.A., Rawlings J.M.C., Scott A.D., van Wyk F. 866

Investigation of the II-90 giant in globular cluster M 13
Klochkova V.G., Mishenina T.V., Panchuk V.E. 881

Spectroscopic observations of AB-supergiants in M 31 and M 33
Herrero A., Lennon D.J., Vilchez J.M., Kudritzki R.P., Humphreys R.H. 885

Nonradial and nonpolytropic astrophysical outflows. III. A criterion for the transition from jets to winds
Sauty C., Tsinganos K. 893

Abundances of neutron-capture elements in metal-poor stars
Gratton R.G., Sneden C. 927

Diffuse matter in space (including H II regions and planetary nebulae)

Modeling the X-ray spectrum of Kepler's supernova remnant
Decourchelle A., Ballet J. 206

A stellar-interstellar counterflow configuration with transversal plasma compressibility
Scherer K., Fahr H.J., Ratkiewicz R. 219

(RN) Discovery of two new planetary nebulae in the direction of the galactic bulge
Cuisinier F., Terzan A., Acker A. 227

Critical density for magnetic decoupling: preliminary observations
Massi M., Lizano S. 581

The abundance of carbon in three type I planetary nebulae
Patriarchi P., Perinotto M. 585

Ultraviolet variations in the spectrum of the visible central star of Abell 35
Jasniewicz G., Lapierre G., Monier R. 591

The warm and the cold neutral phase in the local interstellar medium at $|b| \geq 10^{\circ}$ and at low velocities
Pöppel W.G.L., Marronetti P., Benaglia P. 601

Analysis of a cold cloud fragment
Krügel E., Chini R. 947

The gamma-ray visibility of supernova remnants. A test of cosmic ray origin
Drury L.O'C., Aharonian F.A., Völk H.J. 959

The Sun

Limb observations of the He I 1083.0 nm line
Schmidt W., Knölker M., Westendorp Plaza C. 229

Solar chromospheric structures as observed simultaneously in strong UV lines. I. Observations, statistical analysis and characteristic line profiles
Bocchialini K., Vial J.-C. 233

The observations of solar microwave bursts at the Siberian solar radio telescope with 56-millisecond resolution
Altyntsev A.T., Grechnev V.V., Kachev L.E., Lesovoi S.V., Mansyrev M.I., Molodyakov S.A., Platonov A.V., Saenko I.I., Smolkov G.Y., Sych R.A., Treskov T.A., Zandanov V.G., Esepkina N.A. 256

Linear models of steady state, incompressible magnetic reconnection
Craig I.J.D., Rickard G.J. 261

The Evershed effect in penumbral fine structures. I. Height dependence of velocity fluctuations
Degenhardt D., Wiehr E. 620

The Evershed effect in penumbral fine structures. II. Spatial correlation analysis
Wiehr E., Degenhardt D. 625

The desorption of CO from interstellar grains
Galloway E.T., Herbst E. 633

Si II resonance multiplets in the Sun
Lanzafame A.C. 972

Peculiar interactions between granules and network bright points in the solar photosphere
Roudier T., Espagnet O., Muller R., Vigneau J. 982

The solar system

Ammonia in comet P/Halley
Meier R., Eberhardt P., Krankowsky D., Hodges R.R. 268

Millimeter-wavelength observations of minor planets
Altenhoff W.J., Johnston K.J., Stumpff P., Webster W.J. 641

The rotational lines of methanol in comets Austin 1990 V and Levy 1990 XX
Bockelée-Morvan D., Crovisier J., Colom P., Despois D. 647

Meteor stream activity. I. The annual streams
Jenniskens P. 990

Celestial mechanics and astrometry

Determination of the extragalactic-planetary frame tie from joint analysis of radio interferometric and lunar laser ranging measurements
Folkner W.M., Charlot P., Finger M.H., Williams J.G., Sovers O.J., Newhall X.X., Standish Jr. E.M. 279

Phase correction and planetary positions *(Text in French)*
Toulmonde M., Chollet F. 1014

Physical and chemical processes

Resonance transitions in neutral chlorine
Biémont E., Gebarowski R., Zeippen C.J. 290

The Parker instability in disks with differential rotation
Foglizzo T., Tagger M. 297

Large-scale vortices in rotating stratified disks
Kitchatinov L.L., Rüdiger G., Khomenko G. 320

A variational method for solving fast MHD flows. Consequences for stellar and extragalactic jets
Rosso F., Pelletier G. 325

Parametrized Stark profiles of hydrogen lines in hot stellar plasmas
Clausset F., Stehlé C., Artru M.-C. 666

Erratum The polarized spectrum of hydrogen in the presence of electric and magnetic fields
Casini R., Landi Degl'Innocenti E. 692

Thermodynamics of the one-dimensional gravitational gas
Muriel A., Esguerra P., Feix M. 1021

(RN) The influence of ion-atom radiative collisions on the continuous optical spectra in helium-rich DB white-dwarf atmospheres
Mihajlov A.A., Dimitrijević M.S., Ignjatović L.M. 1026

Rotation of Newtonian boson stars
Abad S., Pacheco A.F., Sañudo J. 1029

Instruments, data processing, and computational methods

Cross-correlation radial-velocity techniques for rotating F stars
Nordström B., Latham D.W., Morse J.A., Milone A.A.E., Kurucz R.L., Andersen J., Stefanik R.P. 338

On the estimation of intensity for low S/N ratio narrow emission lines
Rola C., Pelat D. 676

The probability-density function of a Fourier line
Gabriel M. 685

Abstracts of articles which have been published in A. & A. Suppl. Ser. 105, No. 1

Cepheids and binarity. I. Spectroscopic orbits of three binary Magellanic Cepheids: HV 883, HV 837, HV 11157 *(Text in French)*
Imbert M. 1033

Proper motions of stars in the region of the open cluster NGC 2286 and its membership study
Tian K.P., Zhao J.L., van Leeuwen F. 1033

Evolutionary sequences for massive close binaries with galactic abundances with Rogers-Iglesias opacities
de Loore C., Vanbeveren D. 1033

Evolutionary sequences of stellar models with new radiative opacities. IV. $Z = 0.004$ and $Z = 0.008$
Fagotto F., Bressan A., Bertelli G., Chiosi C. 1033

Evolutionary sequences of stellar models with very high metallicity. V. $Z = 0.1$
Fagotto F., Bressan A., Bertelli G., Chiosi C. 1034

The V 505 Sagittarii system: new *B*, *V* photoelectric observations and light curve analysis
Rovithis-Livaniou H., Rovithis P. 1034

The FITS image extension
Ponz J.D., Thompson R.W., Muñoz J.R. 1034

Nuclear and extranuclear ionized gas in nine Seyfert 2 galaxies
Durret F. 1035

Optical spectra and redshifts of 1 Jy, S4 and S5 radio source identifications. V
Stickel M., Kühr H. 1035

Atomic data and spectral line intensities for O VIII and Fe XVII resonance lines as well as their O VII and Fe XVI satellite lines
Cornille M., Dubau J., Faucher P., Bely-Dubau F., Blancard C. 1035

High resolution radio observations of intermediate redshift quasars and radio galaxies
Bogers W.J., Hes R., Barthel P.D., Zensus J.A. 1035

Measured Stark widths and shifts of several Ni I and Ni II spectral lines
Djeniže S., Skuljan L., Labat J., Bukvić S., Konjević R. 1035

The orbit of the spectroscopic binary ϱ Aurigae
Horn J., Koubský P., Hadrava P., Juza K., Křiž S., Škoda P., Štefl S. 1036

Catalogue of CP stars with references to short time scale variability
Malanushenko V.P., Polosukchina N.S., Weiss W.W. 1036

The RR Lyrae stars of ω Centauri revisited. I. Catalogue of Fourier decomposition parameters
Petersen J.O. 1036

New radial velocities for 96 faint southern Cepheids
Pont F., Burki G., Mayor M. 1036

Abstracts of articles which have been published in A. & A. Suppl. Ser. 105, No. 2

1978–1993 *UBVR–JHKLMN* photometry of the very slow nova and symbiotic Mira HM Sagittae. I. The data
Yudin B., Munari U., Taranova O., Dalmeri I. 1037

New proper-motion stars south of declination –40° and right ascension between 16 h and 24 h
Wroblewski H., Torres C. 1037

The optical identification status of the 1 Jy radio source catalogue
Stickel M., Meisenheimer K., Kühr H. 1037

Observations of pulsar integrated profiles at high frequencies
Izvekova V.A., Jessner A., Kuzmin A.D., Malofeev V.M., Sieber W., Wielebinski R. 1037

Stark broadening of Be I spectral lines
Dimitrijević M.S., Sahal-Bréchot S. 1038

Stark broadening of spectral lines of multicharged ions of astrophysical interest. XI. Al XI and Si XII
Dimitrijević M.S., Sahal-Bréchot S. 1038

Images of 25 extragalactic radio sources observed with MERLIN at 18 cm
Akujor C.E., Lüdke E., Browne I.W.A., Leahy J.P., Garrington S.T., Jackson N., Thomasson P. 1038

On improving IR photometric passbands
Young A.T., Milone E.F., Stagg C.R. 1038

Physical studies of asteroids. XXVIII. Lightcurves and photoelectric photometry of asteroids 2, 14, 51, 105, 181, 238, 258, 369, 377, 416, 487, 626, 679, 1048 and 2183
Schober H.J., Erikson A., Hahn G., Lagerkvist C.-I., Albrecht R., Ornig W., Schroll A., Stadler M. 1038

PPM Star Catalogue: the 90000 Stars Supplement
Röser S., Bastian U., Kuzmin A. 1039

High-dispersion microfiche atlas of OB stars for the first 10 years of IUE
Bohlin R.C., Henrichs H.F., Nichols J.S. 1039

On the spectra and photometry of M-giant stars
Fluks M.A., Plez B., Thé P.S., de Winter D., Westerlund B.E., Steenman H.C. 1039

Micrometer measurements of visual double stars made at Pic du Midi Observatory
Docobo J.A., Ling J.F. 1039

Abstracts of articles which have been published in A. & A. Suppl. Ser. 105, No. 3

Interstellar matter in Shapley-Ames elliptical galaxies. II. The distribution of dust and ionized gas
Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U. 1040

Radio observations of the Coma cluster of galaxies and its immediate vicinity. I. Radio data and optical identifications
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. 1040

Radio observations of the Coma cluster of galaxies and its immediate vicinity. II. A master list of radio sources
Kim K.-T. 1040

The Hubble diagram for X-ray selected BL Lacertae objects
Fan J.H., Huang Z.H., Xie G.Z., Wang Y.J., Li J.J., Zhu Y.Y. 1041

The Zn^+/Na° interstellar ratio
Vladilo G., Centurión M. 1041

Optical positions of radio stars observed with the Repsold Meridian Circle at Cerro Calan, National Observatory
Carrasco G., Loyola P. 1041

Kinematics of 14 early-type galaxies
Longo G., Zaggia S.R., Busarello G., Richter G. 1041

A photometric study of β Cephei stars. II. Determination of the degrees *l* of pulsation modes
Heynderickx D., Waelkens C., Smeyers P. 1042

Quantitative morphology of E-S0 galaxies. III. Coded and parametric description of 108 galaxies in a complete sample
Michard R., Marchal J. 1042

Binary star speckle measurements during 1989–1993 from the SAO 6 m and 1 m telescopes in Zelenchuk
Balega I.I., Balega Y.Y., Belkin I.N., Maximov A.F., Orlov V.G., Pluzhnik E.A., Shkhagosheva Z.U., Vasyuk V.A. 1042